

**OGILVY
RENAULT**

Facsimile

Our File: 13453-2US LB:lf

**RECEIVED
CENTRAL FAX CENTER**

MAY 28 2004

OFFICIAL

Confidentiality Message

This communication sent by facsimile is confidential, may be privileged and is intended for the exclusive use of the addressee. Any other person is strictly prohibited from disclosing, distributing or reproducing it. If the addressee cannot be reached or is unknown to you, please inform us immediately by telephone (613) 230-6072 at our expense and delete this message and all copies. Thank you.

Number of pages including cover letter: 4
Date: May 28, 2004
From: Luc Bérubé
Telephone: (613) 780-8601
E-mail: lberube@ogilvyrenault.com

No.	Company	City	Fax
ART UNIT 1644 Examiner: Phillip Gambel	United States Patent Office – Technology Center 1600	Alexandria, VA	(703) 872-9306

Dear Dr Gambel:

RE: United States Patent Application No. 09/579,548

Title : METHOD FOR INHIBITING IN VIVO IMMUNE RESPONSE

Inventors/

Applicants: LAZARUS, Alan H. et al.

Assignee : Canadian Blood Services

We first thank the Examiner for our discussion of Friday, May 14, 2004 regarding the claims of the above-referenced application.

Further to our discussion, please find enclosed a proposed set of amended claims for the Examiner's review.

All the claims now specify that the alloimmune response is an anti-HLA response. This amendment clearly renders the scope of the claimed subject matter consistent with the disclosure.

With respect to the issue surrounding the agonist v. antagonist nature of the 18 KDa recombinant human CD40L recited in the claims, we kindly refer the Examiner to our response to a previous office action dated May 26, 2000 in which it is specified that the 18 KDa recombinant human CD40L is an antagonist and therefore would produce the desired results including for the diseases recited in claim 30.

Barristers and Solicitors
Patent and Trade-Mark Agents

45 O'Connor Street
Suite 1700
Ottawa, Ontario
Canada K1P 1A4

Telephone (613) 230-6072
Fax (613) 230-6706
ogilvyrenault.com

Continuing the practices of
Meighen Demers
Ogilvy Renault
Swabey Ogilvy Renault

DOCSTT: 32887611

Montréal - Ottawa - Québec - Toronto - Vancouver - London (England)

**OGILVY
RENAULT**

Facsimile

Our File: 13453-2US LB:lf

**RECEIVED
CENTRAL FAX CENTER**


MAY 28 2004

OFFICIAL

Page 2

We kindly ask the Examiner to review the proposed amended claims, which applicant believe to be in a form acceptable for allowance, and to provide his opinion concerning the proposed claims by communicating with the undersigned.

Yours, very truly



Luc Bérubé, Ph.D.
Reg. No. 55,968

Claims 1-23(Cancelled)

Claim 24 (Currently Amended): A method for inhibiting an anti-HLA alloimmune response in a patient comprising the step of administering a therapeutically effective amount of a soluble 18KDa recombinant human CD40L consisting of amino acids 108 to 261 set forth in SEQ ID NO:1, containing the active binding site of CD40 and capable of binding thereto.

Claim 25 (Cancelled)**Claim 26 (Cancelled):**

Claim 27 (Previously Amended): A method for inhibiting T cell function in an anti-HLA alloimmune response in a patient, comprising the step of administering a therapeutically effective amount of a soluble 18KDa recombinant human CD40L consisting of amino acids 108 to 261 of sequence set forth in SEQ ID NO:1 containing the active binding site of CD40 and capable of binding thereto.

Claim 28 (Cancelled)**Claim 29 (Cancelled)**

Claim 30 (Currently Amended): A The method for inhibiting an anti-HLA alloimmune response of claim 27, for treating or preventing a disease selected from the group consisting of systemic lupus erythematosus (SLE), Sjörger's syndrome, scleroderma myositis, Raynaud's syndrome, type 1 diabetes, arthritis and rheumatoid arthritis, inflammatory bowel disease, uveitis,

myasthenia gravis, multiple sclerosis, idiopathic thrombocytopenia purpura and graft vs host disease as well as allergies which are dependent on T cells, said method comprising the step of administering a therapeutically effective amount of a soluble 18KDa recombinant human CD40L consisting of amino acids 108 to 261 of sequence set forth in SEQ ID NO:1 containing the active binding site of CD40 and capable of binding thereto.

Claims 31-33 (Cancelled)